

PRODUCT DATASHEET SMART+ BT OUTDOOR PLUG EU

SMART+ Outdoor Plug | Outdoor Plug with smart socket to control non smart devices with Bluetooth technology



Areas of application

- Wherever non-smart devices need to be integrated into compatible smart home systems
- Gardens, balconies and other outdoor areas

Product benefits

- Integrates conventional electric equipment into compatible smart home systems
- Enables switching of conventional light sources and other electric devices
- Simple connection of electric devices via standard socket
- The socket cover can be closed for the protection against splash water

Product features

- Controllable via LEDVANCE SMART+ App (with minimum Android 8.0 or iOS 14.0)
- Control via voice available: Apple Homekit, Google Assistant, Amazon Alexa
- For full functionality with control via Apple Home App connection to Apple TV (with tvOS 10 or later) or iPad (with iOS 10 or later) required
- 1.5 m power cable for flexible installation
- High switching power: up to 3,680 W / 16 A
- Scheduling
- Network protocol: BluetoothType of protection: IP44




TECHNICAL DATA

Electrical data

Nominal voltage	230 V
Mains frequency	50 Hz

Dimensions & Weight



Product weight	695.00 g
Diameter	100 mm
Length	146 mm
Width	100 mm
Height	115 mm

Lifespan

Colors & materials

Product color	White
Body material	Plastic

Temperatures & operating conditions

Ambient temperature range -20+	+40 °C
--------------------------------	--------

Capabilities

Compatible smart home technology		Amazon Alexa / Google Assistant / Apple HomeKit	

Certificates & Standards

Protection class	1
Type of protection	IP44

EQUIPMENT / ACCESSORIES

- For control via LEDVANCE SMART+ App, a smartphone or tablet is required (with minimum Android 8.0 or iOS 14.0)
- For control via Apple Home App iPhone (with iOS 10 or later), iPad (with iOS 10 or later), Apple TV (with tvOS 10 or later) or Apple Watch (with watchOS 2 or later) required
- Ground spike included for easy fixation in garden soil

Safety advice

- Disconnect devices which generate heat from the mains, i.e. from the SMART+ Outdoor Plug, after use in order to avoid them being accidentally switched on.
- Very high capacitive and inductive loads may in some cases lead to destruction of the device or reduction in the number of switching cycles.
- Do not use the SMART+ Outdoor Plug in conjunction with medical equipment.
- To be connected to an automatic circuit breaker (max. 16 A).

DOWNLOAD DATA

	Documents and certificates
PDF	Installation guide
PDF	Declarations Of Conformity CE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075503106	Folding box 1	135 mm x 210 mm x 135 mm	886.00 g	3.83 dm ³
4058075503113	Shipping box 8	608 mm x 223 mm x 260 mm	7210.00 g	35.25 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- Further information and frequently asked questions (FAQs) at www.ledvance.com/consumer/smart/faq

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.