


# OPTONICA



## Hexagon SET Lights 14HEXS 456W With Accessories

**Power**


- 456W

**Light color**



White light

### Stamps



| № | ПРОДУКТ             | СИМВОЛ | БР. |
|---|---------------------|--------|-----|
| 1 | И - ОСВЕТИТЕЛЬ      |        | 57  |
| 2 | V - КОНЕКТОР        |        | 17  |
| 3 | Y - КОНЕКТОР        |        | 27  |
| 4 | ЗАПРАВКА ИЛИ КАБЕЛЬ |        | 1   |

|                 |      |
|-----------------|------|
| <b>OPTONICA</b> |      |
| 14 HEXAGON      | 4041 |
| 440             | 2333 |



## Technical Specification

|                                     |               |
|-------------------------------------|---------------|
| <b>Catalog Number</b>               | 16805         |
| <b>Brand</b>                        | Optonica      |
| <b>Product Code</b>                 | HE1-A1        |
| <b>Power</b>                        | 456W          |
| <b>Energy Consumption</b>           | 456 kWh/1000h |
| <b>Input voltage</b>                | AC165-265V    |
| <b>Flux</b>                         | 54720lm       |
| <b>FLUX per watt</b>                | 120lm/W       |
| <b>IP</b>                           | 20            |
| <b>Dimmable</b>                     | No            |
| <b>Correlated Color Temperature</b> | 6000K         |
| <b>Light Color</b>                  | White light   |
| <b>EAN Code</b>                     | 3801057168050 |
| <b>Energy Efficiency Label</b>      | E             |

|                                                 |               |
|-------------------------------------------------|---------------|
| <b>Beam angle</b>                               | 120º          |
| <b>On/Off Cycles</b>                            | 25 000x       |
| <b>Instant On</b>                               | 0.1s          |
| <b>Operating Frequency</b>                      | 50-60 Hz      |
| <b>Temperature</b>                              | -20°C / +40°C |
| <b>Ra ≥</b>                                     | 80            |
| <b>Life span</b>                                | 25 000 Hours  |
| <b>Lumen maintenance at end of service life</b> | 70%           |
| <b>Size of product</b>                          | 2430x4835 mm  |
| <b>Items per pack</b>                           | 1             |
| <b>Items per box</b>                            | 1             |
| <b>Material</b>                                 | PC            |
| <b>Warranty</b>                                 | 2 Years       |