

# ALLSEASON SUPER / ALLSEASON H3

Extra visibility under all weather conditions



**Extra visibility**

Due to yellow coating



**Up to 30% more light**

For better visibility and significantly shorter reaction times compared to standard halogen lamps



**Better sight**

Under all weather conditions



**Better sight under all weather conditions**

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

# Product datasheet

## Technical data

### Product information

|   |                        |
|---|------------------------|
| Application (Category and Product specific) | Halogen headlight lamp |
|---|------------------------|

### General Product Information

|                        |          |
|------------------------|----------|
| Global order reference | 64151ALS |
|------------------------|----------|

### Electrical Data

|                 |                    |
|-----------------|--------------------|
| Power input     | 68 W <sup>1)</sup> |
| Nominal voltage | 12.0 V             |
| Nominal wattage | 55 W               |
| Test voltage    | 13.2 V             |

<sup>1)</sup> Maximum

### Photometric Data

|                         |         |
|-------------------------|---------|
| Nominal luminous flux   | 1600 lm |
| Luminous flux tolerance | ±15 %   |
| Color temperature       | 3200 K  |

### Physical Attributes & Dimensions

|                |         |
|----------------|---------|
| Diameter       | 11.0 mm |
| Product weight | 6.90 g  |
| Length         | 42.0 mm |
| Lamp base      | PK22s   |

### Lifetime Data

|             |        |
|-------------|--------|
| Lifespan B3 | 150 hr |
| Lifespan Tc | 350 hr |

### Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

### Certificates & standards

|              |    |
|--------------|----|
| ECE category | H3 |
|--------------|----|

### Environmental & Regulatory Information

|   |            |
|---|------------|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |            |
| Date of declaration   | 26-06-2024 |

## Product datasheet

|                                  |                                    |
|----------------------------------|------------------------------------|
| Primary article identifier       | 4050300504490                      |
| Candidate list substance 1       | No declarable substances contained |
| Declaration no. in SCIP database | In work                            |

### Country specific information

| Product code  | METEL code   | SEG-No. | STK-Number | UK Org |
|---------------|--------------|---------|------------|--------|
| 4050300504513 | OSRA64151ALS | -       | -          | -      |

### Logistical Data

| Product code  | Product description            | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|--------------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300504513 | ALLSEASON SUPER / ALLSEASON H3 |                              | - x - x -                            | 4.80 dm <sup>3</sup> |              |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM